

Изолятор положительного давления CIVAS-Assist

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: eib@nt-rt.ru || сайт: <https://envair.nt-rt.ru>

CIVAS-Assist

POSITIVE PRESSURE ISOLATORS



Clean Air & Containment

Safe aseptic handling of pharmaceutical products

Our range of positive pressure isolators have been designed for pharmacy routines requiring the aseptic handling of pharmaceutical products in an EC GMP Grade A environment with a degree of operator protection.

They are widely used in NHS hospital pharmacies for CIVAS (Central Intravenous Additive Service), TPN compounding and bagging, preparation of IV solutions and eye-drops, ampoule filling, etc.




Positive pressure isolators for aseptic handling of pharmaceutical products

KEY FEATURES


- Positive pressure for product protection
- EU GMP Grade A unidirectional airflow work area for aseptic work and product protection
- Transfer chambers with electromagnetic timed interlocks and high air change rates for total suppression of airborne contamination during material transfers in and out, and for rapid evaporation of disinfecting agents
- Automated pressure decay leak test for indicating results and monitoring trends
- PLC controls for easy setup, operation and maintenance
- Good access to all potentially contaminated areas to facilitate cleaning
- Safe to change primary exhaust HEPA
- Two and four-glove models available

Airflow diagram

Recirculating (R) unit



Model designations and dimensions



MODEL	MODEL DESCRIPTION	A (mm)	B (mm)	C (mm)	Wt (kg)	Power Watts
2G2R (1.2m)	Two glove ports, two transfer chambers. Recirculates air back to room.	2424	1340	1100	500	900
2G2R (1.5m)	Two glove ports, two transfer chambers. Recirculates air back to room.	2742	1660	1420	550	1000
4G2R (1.8m)	Four glove ports, two transfer chambers. Recirculates air back to room.	3022	1940	1655	580	1000

POSITIVE PRESSURE ISOLATORS

STANDARD SPECIFICATION		UPGRADES
Main chamber	• White polyester coated stainless steel internally • Unidirectional airflow (vertically downwards) - 0.4 m/s +/- 20% • Downflow air change rate indicative 1800 air changes per hour • 316L stainless steel removable dished worktray	• Optional 316L stainless steel polished internally
Transfer devices	• Two D type double HEPA filtered transfer chambers with electromagnetic interlocks on adjustable timers, footswitches for inner doors and sliding trays • High air change rate indicative 2500 air changes per hour • Manual sealing lids for automated pressure decay leak test • White polyester coated stainless steel externally and internally	• Optional arrangement with one transfer chamber only • Option for electrically actuated sealing lids for fully automatic pressure decay leak test • Optional 316L stainless steel polished internally
Stand	• Polyester coated mild steel table frame with adjustable levelling feet or lockable castors	• Optional 'Vari-Height' electrically operated support frame
Access	• Large opening acrylic visor, supported by gas springs in the open position, and complete with bonded 300 mm diameter sleeve ports • Fabric lined polyurethane sleeves, safe change cuff-rings and all associated O-rings for the Envair 'safer aseptic glove change' when used with sterile-wrapped, beaded, powder-free gloves suitable for cytotoxics	• Optional elliptical ports or other port diameters upon request • Alternative two part safe change cuff system available
Controls and electrics	• PLC control system with touch control membrane and password protection for different levels of access control • Touchscreen HMI displays critical operating parameters and interlock controls and status at all times • Digital display of transfer chamber pressure • Internal pressure (Pa), Downflow Velocity (m/s), HEPA filter differential (Pa) and Total Air Change (TAC/Hr) displayed • Automated (prompted) pressure decay test • Latched audible and visible alarm for internal pressure and downflow air change rate failure and for transfer chamber door not closed. Alarm mute. • Mains fail back up for alarms • LED lighting providing <750 Lux at the work surface • Electrics designed for 230v/50Hz1Ph supply	• Optional fully automatic pressure decay leak test includes electrically actuated sealing for transfer chambers and high level exhaust • Optional alternative electrical supplies – to be specified by purchaser
Airflow and filtration	• The primary exhaust HEPA filter underneath the work tray filters the air leaving the work area before being exhausted back to the room through the double HEPA filtered transfer hatches • The primary exhaust HEPA filter can be sealed and removed into a bag for safe disposal • Potentially contaminated airways and plenums are under negative pressure • All HEPA filters H14 (BS EN 1822-1:2019)	
Testing and maintenance	• DOP/particle counter test ports in visor of main chamber and in outer doors of transfer chambers • Maintenance from front and rear of unit with lockable front panel for control hardware and downflow system	

OPTIONAL EXTRAS

- 316L stainless steel polished internally and externally
- 13 amp single splashproof socket
- Service taps
- Cable gland for computer connection
- Sealed computer screen in rear wall of main chamber
- CCTV monitoring and recording system
- Vapour phase hydrogen peroxide biodecontamination system
- Glove sleeve leak test disc with digital manometer
- Validation with documentation for IQ/OQ including FAT and SAT, or to full GAMP

CIVAS-Assist

POSITIVE PRESSURE ISOLATORS



Clean Air & Containment



Optional screen in rear wall



Transfer chambers

STANDARDS COMPLIANCE

BS EN ISO 14644, EU GMP, BS EN 1822 (HEPA FILTERS), IEC 61010-1:2001 (ELECTRIC WIRING),
'PHARMACEUTICAL ISOLATORS' PHARMACEUTICAL, PRESS 2004

QUALITY STATEMENT

Envair Technology provides world class design and manufacturing expertise for a full portfolio of clean room and containment solutions. We work with healthcare, pharmaceutical and laboratory facilities around the world, to protect the safety of teams handling hazardous compounds and maintain product integrity. Our engineers and production team are committed to the highest standards of excellence, meeting the requirements of ISO 9001:2015. We provide a comprehensive maintenance, testing and parts service for all our products, to ensure a lifetime of trouble-free use.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04	Иваново (4932)77-34-06	Магнитогорск (3519)55-03-13	Ростов-на-Дону (863)308-18-15	Тольятти (8482)63-91-07
Ангарск (3955)60-70-56	Ижевск (3412)26-03-58	Москва (495)268-04-70	Рязань (4912)46-61-64	Томск (3822)98-41-53
Архангельск (8182)63-90-72	Иркутск (395)279-98-46	Мурманск (8152)59-64-93	Самара (846)206-03-16	Тула (4872)33-79-87
Астрахань (8512)99-46-04	Казань (843)206-01-48	Набережные Челны (8552)20-53-41	Санкт-Петербург (812)309-46-40	Тюмень (3452)66-21-18
Барнаул (3852)73-04-60	Калининград (4012)72-03-81	Нижний Новгород (831)429-08-12	Саратов (845)249-38-78	Ульяновск (8422)24-23-59
Белгород (4722)40-23-64	Калуга (4842)92-23-67	Новокузнецк (3843)20-46-81	Севастополь (8692)22-31-93	Улан-Удэ (3012)59-97-51
Благовещенск (4162)22-76-07	Кемерово (3842)65-04-62	Ноябрьск (3496)41-32-12	Саранск (8342)22-96-24	Уфа (347)229-48-12
Брянск (4832)59-03-52	Киров (8332)68-02-04	Новосибирск (383)227-86-73	Симферополь (3652)67-13-56	Хабаровск (4212)92-98-04
Владивосток (423)249-28-31	Коломна (4966)23-41-49	Омск (3812)21-46-40	Смоленск (4812)29-41-54	Чебоксары (8352)28-53-07
Владикавказ (8672)28-90-48	Кострома (4942)77-07-48	Орел (4862)44-53-42	Сочи (862)225-72-31	Челябинск (351)202-03-61
Владимир (4922)49-43-18	Краснодар (861)203-40-90	Оренбург (3532)37-68-04	Ставрополь (8652)20-65-13	Череповец (8202)49-02-64
Волгоград (844)278-03-48	Красноярск (391)204-63-61	Пенза (8412)22-31-16	Сургут (3462)77-98-35	Чита (3022)38-34-83
Вологда (8172)26-41-59	Курск (4712)77-13-04	Петрозаводск (8142)55-98-37	Сыктывкар (8212)25-95-17	Якутск (4112)23-90-97
Воронеж (473)204-51-73	Курган (3522)50-90-47	Псков (8112)59-10-37	Тамбов (4752)50-40-97	Ярославль (4852)69-52-93
Екатеринбург (343)384-55-89	Липецк (4742)52-20-81	Пермь (342)205-81-47	Тверь (4822)63-31-35	

Россия +7(495)268-04-70	Казахстан +(727)345-47-04	Беларусь +(375)257-127-884	Узбекистан +998(71)205-18-59	Киргизия +996(312)96-26-47
-------------------------	---------------------------	----------------------------	------------------------------	----------------------------